Molecular Cell Research
including Signal Transduction
Vol. 1176, 1993

Cumulative Contents

Regular Section

Regular Papers

Cytolytic effects and biochemical changes induced by extracellular ATP to isolated hepatocytes
S.A. Tinton, V.H. Lefebvre, O.C. Cousin and P.M. Buc-Calderon (Belgium) 1

Nucleotides mobilize intracellular calcium stores of renal proximal cells in primary culture: existence of a suramin-sensitive mechanism
J.-C. Cejka, M. Bidet, M. Tauc and P. Poujeol (France) 7

Accessibility of hepatocyte protein thiols to monobromobimane
M. Weis, I.C. Cotgreave, G.A. Moore, K. Norbeck and P. Moldéus (Sweden) 13

Tumor necrosis factor alpha-induced alteration of glycosaminoglycans in cultured vascular smooth-muscle cells
T. Kaji, S. Hiraga, C. Yamamoto, M. Sakamoto, Y. Nakashima, K. Sueishi and F. Koizumi (Japan) 20

Glycosphingolipid patterns in human promyelocytic HL-60 leukemia cells susceptible or resistant to differentiation induction by phorbol 12-myristate 13-acetate
K. Kiguchi, C. Henning-Chubb and E. Huberman (USA) 27

Activation of K^+/Cl^- cotransport in human erythrocytes exposed to oxidative agents
O. Olivieri, M. Bonollo, S. Friso, D. Girelli, R. Corrocher and L. Vettore (Italy) 37

Conversion of liposomal 5-fluoro-2′-deoxyuridine and its dipalmitoyl derivative to bile acid conjugates of α-fluoro-β-alanine and their excretion into rat bile
M.B. Waalkes, F. Kuipers, R. Havinga and G.L. Scherphof (Netherlands) 43

Arachidonic acid increases the activity of the assembled NADPH oxidase in cytoplasmic membranes and endosomes
T. Rubinek and R. Levy (Israel) 51

Transcript levels of thymosin β_4, an actin-sequestering peptide, in cell proliferation
A. Otero, X.R. Bustelo, J.G. Pichel, M. Freire and J. Gómez-Márquez (Spain) 59

The mechanism of arachidonic acid-induced insulin secretion from rat islets of Langerhans
A.M. Band, P.M. Jones and S.L. Howell (UK) 64

Cell cycle-related expression of poly(ADP-ribosyl)transferase in proliferating rat thymocytes
K.-H. Wein, R. Netzker and K. Brand (Germany) 69

Uptake of tyramine by rat hepatocytes
Z.-D. Zhong, S.W.-D. Coninck and R. Wattiaux (Belgium) 77

Inhibition of smooth muscle cell proliferation and protein kinase C activity by tocopherols and tocotrienols
E. Chatelain, D.O. Boscoboinik, G.-M. Bartoli, V.E. Kagan, F.K. Gey, L. Packer and A. Azzi (Switzerland, USA) 83

Superoxide dismutase and thioredoxin restore defective $p34^{cdc2}$ kinase activation in mouse two-cell block
S. Natsuyama, Y. Noda, M. Yamashita, Y. Nagahama and T. Mori (Japan) 90

Requirement of cytoplasmic components for lidocaine-induced shape change in human erythrocytes
E. Nishiguchi, J. Sindo and N. Hamasaki (Japan) 95

Utilization by human amniocytes for prostaglandin synthesis of [1-^{14}C]arachidonate derived from 2-[1-^{14}C]arachidonylphosphatidylcholine associated with human fetal pulmonary surfactant
G.E. Newman, P.J.R. Phizackerley and A.L. Bernal (UK) 106

Modulation of the plasminogen activation system in murine macrophages
S.K.P. Kung and H.K.F. Lau (Hong Kong, Canada) 113

Regulation of white adipocyte guanine nucleotide binding proteins Gsα and Giα_{1-2} by testosterone in vivo: influence of regional fat distribution

M.-N. Dieudonne, R. Pecquery, J.-P. Dausse and Y. Giudicelli (France) 123

Subsection

Regular Papers

Phosphatidic acid stimulates the rolipram-sensitive cyclic nucleotide phosphodiesterase from rat thymocytes
P. Marcoz, G. Némoz, A.-F. Prigent and M. Lagarde (France) 129

Stimulation of glucose incorporation into glycogen by E-series prostaglandins in cultured rat hepatocytes
T. Okumura, T. Kanemaki and H. Kitade (Japan) 137

An additional arginine-vasotocin-related peptide, vasotocinyl-Gly-Lys, in *Xenopus* neurohypophysis
S. Iwamuro, H. Hayashi and S. Kikuyama (Japan) 143

Cyclic-AMP-dependent Ca^{2+} influx elicited by prostaglandin D_2 in freshly isolated nonchromaffin cells from bovine adrenal medulla
E. Okuda-Ashitaka, K. Sakamoto, H. Giles, S. Ito and O. Hayaishi (Japan, UK) 148

Regulation of System A amino-acid transport activity by phospholipase C and cAMP-inducing agents in skeletal muscle: modulation of insulin action
A. Gumà, F. Viñals, X. Testar, M. Palacín and A. Zorzano (Spain) 155

Regulation of mouse serum amyloid P gene expression by cytokines in vitro
K. Zahedi and A.S. Whitehead (USA, Ireland) 162

Calcium- and G-protein-dependent activation of arachidonic acid release by concanavalin-A-stimulated mouse macrophages
B. Fernández and J. Balsinde (Spain) 169

Chemotactic stimulation of aggregation-stage *Dictyostelium* cells induces rapid changes in energy metabolism, as measured by succinic thiokinase phosphorylation
W.R.E. Schwandner, B. Jiménez, A. Schwartz, C.J. Weijer, M. Behrens, M.J. Mazón and M. Fernández-Renart (Germany, Spain) 175

Occupation of low-affinity cholecystokinin (CCK) receptors by CCK activates signal transduction and stimulates amylase secretion in pancreatic acinar cells
R. Vinayek, R.J. Patto, D. Menozzi, J. Gregory, J.E. Mrozinski, R.T. Jensen and J.D. Gardner (USA) 183

Regulation of adrenal and hepatic α-tocopherol content by androgens and estrogens
I.B. Feingold, P.A. Longhurst and H.D. Colby (USA) 192

Corrigenda 197

Regular Section

Regular Papers

Relationship between molecular conversions of acrosin and the progression of exocytosis in the calcium ionophore-induced acrosome reaction
J. Moos, J. Peknicova and J. Tesarik (France) 199

Identification of an NADH plus iron dependent, Ca^{2+} activated hydrogen peroxide production in synaptosomes
F. Zoccarato, M. Valente and A. Alexandre (Italy) 208

Thrombin and NaF, but not epinephrine, raise cytosolic free Na^+ in human platelets
V. Stamouli, C. Vakirtzi-Lemonias and W. Siffert (Germany, Greece) 215

Calcium and GTP-γ-S as single effectors of secretion from permeabilized rat mast cells: requirements for ATP
A. Koffer and Y. Churcher (UK) 222

Calcium-induced secretion from permeabilized rat mast cells: requirements for guanine nucleotides
A. Koffer (UK) 231

Iron potentiates bacterial lipopolysaccharide-induced nitric oxide formation in animal organs
L.N. Kubrina, V.D. Mikoyan, P.I. Mordvintcev and A.F. Vanin (Russian Federation) 240

Differentiation of human monoblastic leukemia U937 cells induced by inhibitors of myosin light chain kinase and prevention of differentiation by granulocyte-macrophage colony-stimulating factor
M. Makishima, Y. Honma, M. Hozumi, N. Nagata and K. Motoyoshi (Japan) 245

Site-directed mutagenesis of the cGMP phosphodiesterase γ subunit from bovine rod outer segments: role of separate amino acid residues in the interaction with catalytic subunits and transducin α subunit
V.M. Lipkin, V.A. Bondarenko, V.E. Zagranichny, L.N. Dobrynina, K.G. Muradov and M.Y. Natochin (Russia) 250

Regulation of eukaryotic translation initiation factor expression during T-cell activation
T.R. Boal, J.A. Chiorini, R.B. Cohen, S. Miyamoto, R.M. Frederickson, N. Sonenberg and B. Safer (USA, Canada) 257

Rapid Report

Production and regulation of gelatinase B by human T-cells
A.M.P. Montgomery, H. Sabzevari and R.A. Reisfeld (USA) 265

Subsection

Functional analysis of the human α2C-C4 adrenergic receptor in insect cells expressed by a luciferase-based baculovirus vector
C. Oker-Blom, C. Jansson, M. Karp, C. Lindqvist, J.-M. Savola, J. Vlak and K. Åkerman (Finland, Netherlands) 269

Protein kinase C isotypes and signal-transduction in human neutrophils: selective substrate specificity of calcium-dependent β-PKC and novel calcium-independent nPKC
S. Majumdar, L.H. Kane, M.W. Rossi, B.D. Volpp, W.M. Nauseef and H.M. Korchak (USA) 276

Activation of myelin basic protein and S6 peptide kinases in phorbol ester- and PAF-treated sheep platelets
M. Samiei, J.S. Sanghera and S.L. Pelech (Canada) 287

Establishment of an enzyme immunoassay system for gliostatin/platelet-derived endothelial cell growth factor (PD-ECGF)
T. Hirano, K. Asai, K. Matsukawa, T. Kato, M. Takeuchi, M. Yonezawa, T. Otsuka and N. Matsui (Japan) 299

The mechanism of inhibition of alkylamines on the mast-cell peptidergic pathway
T. Fischer, C. Bronner, Y. Landry and M. Mousli (France) 305

Adenylyl cyclase in lung from hypersensitive guinea pig displays increased responsiveness to guanine nucleotides and isoprenaline: the role of the G proteins G_s and G_i
M. Grady, P.A. Stevens, S. Pyne and N. Pyne (UK) 313

The necessity for calcium for increased renal vitamin D receptor in response to 1,25-dihydroxyvitamin D
A. Uhland-Smith and H.F. DeLuca (USA) 321

Primary sites of actions of staurosporine and H-7 in the cascade of insulin action to glucose transport in rat adipocytes
Y. Yano, Y. Sumida, C.F. Benzing, F.W. Robinson and T. Kono (USA) 327

Differential effects of activation of protein kinase C and cyclic-AMP-dependent protein kinase on sodium-dependent phosphate uptake in NIH 3T3 cells
Z. Oláh, C. Lehel and W.B. Anderson (USA) 333

Rapid Report

Rapid and reversible uncoupling of the hepatic α_1-adrenergic receptor and guanine-nucleotide-binding protein by phorbol 12,13-dibutyrate
J.F. Beeler and R.H. Cooper (USA) 339

Cumulative Contents, Vol. 1176 343

Author Index 346